


1911



MLADOST
KRUNA SVAKE KUĆE


BLOKOVI

VREDNOST ZGRADE JE ISPOD FASADE




ENERGETSKI BLOKOVI

ENERGETSKI BLOK 25 "STRONG"




Blokovi sa vertikalnim šupljinama	Vlasotince	TMP	Stalać
Dimenzije (mm)	380x250x238	380x250x238	380x250x238
JNF	11.6	11.6	11.6
Masa (kg)	16	16.5	15.5
Utrošak po m ² / m ³	10.50 / 43	10.50 / 43	10.50 / 43
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	0.226	0.226	0.220
Pritisna čvrstoća (N/mm ²)	13	11.6	12
Komada na paleti	72	72	72
Masa palete (kg)	1162	1200	1126

ENERGETSKI BLOK 25 "EKONOMIK"



Blokovi sa vertikalnim šupljinama	Vlasotince	TMP	Stalać
Dimenzije (mm)	380x250x238	375x250x238	380x250x238
JNF	11.6	11.6	11.6
Masa (kg)	13.8	13.6	13.2
Utrošak po m ² / m ³	10.50 / 43	10.50 / 43	10.50 / 43
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	0.198	0.198	0.193
Pritisna čvrstoća (N/mm ²)	11	11.7	11.2
Komada na paleti	72	72	72
Masa palete (kg)	1005	990	970

ENERGETSKI BLOK 20 "STRONG"



Blokovi sa vertikalnim šupljinama	Vlasotince	TMP	Stalać
Dimenzije (mm)	380x200x238	380x200x238	380x200x238
JNF	9.28	9.28	9.28
Masa (kg)	13.3	13.8	12.8
Utrošak po m ² / m ³	10.50 / 53	10.50 / 53	10.50 / 53
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	0.210	0.210	0.201
Pritisna čvrstoća (N/mm ²)	13.60	14	14
Komada na paleti	84	84	84
Masa palete (kg)	1135	1170	1100

ENERGETSKI BLOK 20 "EKONOMIK"



Blokovi sa vertikalnim šupljinama	Vlasotince
Dimenzije (mm)	380x200x238
JNF	9.28
Masa (kg)	12
Utrošak po m ² / m ³	10.50 / 53
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	0.221
Pritisna čvrstoća (N/mm ²)	10
Komada na paleti	90
Masa palete (kg)	1090


ENERGETSKI BLOKOVI

ENERGETSKI BLOK 38



Blokovi sa vertikalnim šupljinama	TMP
Dimenzije (mm)	250x380x238
JNF	11.6
Masa (kg)	16.5
Utrošak po m ² / m ³	16 / 43
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	0.174
Pritisna čvrstoća (n/mm ²)	10
Komada na paleti	72
Masa palete (kg)	1200

ENERGETSKI BLOK 25 "AKUSTIK"



Blokovi sa vertikalnim šupljinama	TMP
Dimenzije (mm)	380x250x238
JNF	11.60
Masa (kg)	23.5
Utrošak po m ² / m ³	10.50 / 43
Zvučna izolacija Rw	56 dB
Pritisna čvrstoća (n/mm ²)	15.7
Komada na paleti	48
Masa palete (kg)	1140

ENERGETSKI BLOK 16/33




Blokovi sa vertikalnim šupljinama	Vlasotince
Dimenzije (mm)	330x160x238
JNF	6.44
Masa (kg)	9.2
Utrošak po m ² / m ³	12.73 / 79.56
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	
Pritisna čvrstoća (n/mm ²)	14.2
Komada na paleti	120
Masa palete (kg)	1114

ENERGETSKI BLOK 12/33



Blokovi sa vertikalnim šupljinama	Vlasotince
Dimenzije (mm)	330x120x238
JNF	4.82
Masa (kg)	7.2
Utrošak po m ² / m ³	12.73 / 106
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	
Pritisna čvrstoća (n/mm ²)	10.2
Komada na paleti	144
Masa palete (kg)	1046


ENERGETSKI BLOK 10/33



Blokovi sa vertikalnim šupljinama	Vlasotince
Dimenzije (mm)	330x100x238
JNF	4.03
Masa (kg)	6.5
Utrošak po m ² / m ³	12.73 / 127.3
Koeficient toplotne provodljivosti (λ ₁₀ , dry, mat)(W/mk)	
Pritisna čvrstoća (n/mm ²)	13
Komada na paleti	168
Masa palete (kg)	1102


STANDARDNI PROGRAM BLOKOVA ZA ZIDANJE

GITER 5




Blokovi sa vertikalnim šupljinama	Vlasotince	TMP	Stalac
Dimenzije (mm)	250x190x190	250x190x190	250x190x190
JNF	4.60	4.60	4.60
Masa (kg)	6.50	6.30	6
Pritisna čvrstoća (daN/cm ²)	10	10	10
Utrošak za 1m ² zida debljine 25cm / 20cm	25 / 20	25 / 20	25 / 20
Komada u 1m ³	110	110	110
Komada na paleti	160	180	160
Masa palete (kg)	1050	1150	1000

TERMO BLOK 5



Blokovi sa horizontalnim šupljinama	TMP
Dimenzije (mm)	250x190x190
JNF	4.60
Masa (kg)	5.9
Pritisna čvrstoća (daN/cm ²)	20
Utrošak za 1m ² zida debljine 25cm / 20cm	25 / 20
Komada u 1m ³	110
Komada na paleti	180
Masa palete (kg)	1080

TERMO BLOK 33




Blokovi sa horizontalnim šupljinama	Vlasotince
Dimenzije (mm)	330x250x190
JNF	8
Masa (kg)	10.3
Pritisna čvrstoća (daN/cm ²)	20
Utrošak za 1m ² zida debljine 25cm / 20cm	15 / 11
Komada u 1m ³	66
Komada na paleti	100
Masa palete (kg)	1040

TERMO BLOK 33/2



Blokovi sa horizontalnim šupljinama	Vlasotince
Dimenzije (mm)	165x250x190
JNF	4
Masa (kg)	5.2
Pritisna čvrstoća (daN/cm ²)	20
Utrošak za 1m ² zida debljine 25cm / 20cm	30 / 24
Komada u 1m ³	132
Komada na paleti	200
Masa palete (kg)	1040


BLOK 16/33



Blokovi sa horizontalnim šupljinama	Vlasotince
Dimenzije (mm)	330x250x160
JNF	6.7
Masa (kg)	8
Pritisna čvrstoća (daN/cm ²)	20
Utrošak za 1m ² zida debljine 25cm / 16cm	18 / 12
Komada u 1m ³	72
Komada na paleti	120
Masa palete (kg)	970

STANDARDNI PROGRAM BLOKOVA ZA ZIDANJE

PREGRADNI 12




Blokovi sa vertikalnim šupljinama	Vlasotince	TMP	Stalać
Dimenzije (mm)	250x120x190	250x120x190	250x120x190
JNF	3	3	3
Masa (kg)	4.5	4.5	4.5
Pritisna čvrstoća (daN/cm ²)	10	10	10
Utrošak za 1m ² zida debljine 12cm	20	20	20
Komada u 1m ³	175	175	175
Komada na paleti	256	256	256
Masa palete (kg)	1162	1162	1162

PREGRADNI 9



Blokovi sa vertikalnim šupljinama	Stalać
Dimenzije (mm)	250x90x190
JNF	0.9
Masa (kg)	3.4
Pritisna čvrstoća (daN/cm ²)	10
Utrošak za 1m ² zida debljine 12cm	20
Komada u 1m ³	220
Komada na paleti	320
Masa palete (kg)	1100

BLOK 4/8



Blokovi sa horizontalnim šupljinama	Vlasotince	Stalać
Dimenzije (mm)	250x250x120	250x250x120
JNF	3.9	3.9
Masa (kg)	4.3	4.15
Pritisna čvrstoća (daN/cm ²)	20	20
Utrošak za 1m ² zida debljine 25cm	28	28
Komada u 1m ³	133	133
Komada na paleti	128 / 224	128
Masa palete (kg)	560 / 975	550


BLOK 4/15



Blokovi sa horizontalnim šupljinama	Vlasotince	Stalać
Dimenzije (mm)	250x250x120	250x250x120
JNF	3.9	3.9
Masa (kg)	4.6	4.3
Pritisna čvrstoća (daN/cm ²)	20	20
Utrošak za 1m ² zida debljine 25cm	28	28
Komada u 1m ³	133	133
Komada na paleti	128 / 224	128
Masa palete (kg)	600 / 1040	560

STANDARDNI PROGRAM BLOKOVA ZA ZIDANJE

FERT 14




Blok za međuspratne konstrukcije	Vlasotince	TMP	Stalac
Dimenzije (mm)	245x275x140	245x275x140	245x275x140
JNF	5	5	5
Masa (kg)	6.3	5.8	6
Nosivost (kN)	4.7	4.7	4.7
Komada na 1m ² tavanice	10	10	10
Komada u 1m ³	90	90	90
Komada na paleti	84 / 147	147	147
Masa palete (kg)	540 / 936	865	900

KANALICA




Blok za međuspratne konstrukcije	TMP
Dimenzije (mm)	245x115x40
JNF	0.8
Masa (kg)	1.1
Nosivost (kN)	2.4
Komada na 1m ² tavanice	4
Komada u 1m ³	880
Komada na paleti	960
Masa palete (kg)	1070

NADVRATNIK



Nadvratnik 10	TMP	Nadvratnik 12	TMP
Dimenzije (mm)	245x100x65	Dimenzije (mm)	245x120x65
JNF	0.80	JNF	0.80
Masa (kg)	1.5	Masa (kg)	2.10
Komada na 1m ²	40	Nosivost (kN)	5.3
Komada na 1m ² zida d=20cm	8	Komada na 1m ²	34
Komada na 1m ² zida d=10cm	4	Komada na 1m ² zida d=25cm	8
Komada na paleti	648	Komada na 1m ³	566
Masa palete (kg)	978	Komada na paleti	576
		Masa palete (kg)	1220

GITER 1 GLATKI



Blokovi sa vertikalnim šuplinama	Vlasotince
Dimenzije (mm)	250x120x60
JNF	0.9
Masa (kg)	1.8
Pritisna čvrstoća (daN/cm ²)	12
Koeficijent toplotne provodljivosti (λ ₁₀ , dry, mat)(w/mk)	60
Utrošak za 1m ² / 1m ³	556
Komada na paleti	600
Masa palete (kg)	1090


GITER 1 RELJEFNI



Blokovi sa vertikalnim šuplinama	Vlasotince
Dimenzije (mm)	250x120x60
JNF	0.9
Masa (kg)	1.8
Pritisna čvrstoća (daN/cm ²)	12
Utrošak u 1m ² zida debljine 12cm	60
Komada u 1m ³	556
Komada na paleti	600
Masa palete (kg)	1090

STANDARDNI PROGRAM BLOKOVA ZA ZIDANJE

VENTILACIONI BLOK VB-18




Ventilacioni blok $\varnothing 180$	Vlasotince
Dimenzije (mm)	245x250x250
JNF	8
Masa (kg)	10
Pritisna čvrstoća (daN/cm ²)	7.5
Komada na 1m dužini	4
Komada na paleti	96
Masa palete	970

VENTILACIONI BLOK VB-18 / 13




Ventilacioni blok $\varnothing 180$ sa bočnim otvorom $\varnothing 130$	Vlasotince
Dimenzije (mm)	245x250x250
JNF	8
Masa (kg)	9.9
Pritisna čvrstoća (daN/cm ²)	5
Komada na 1m dužini	4
Komada na paleti	32
Masa palete	327

VENTILACIONI BLOK VB-18 / 15



Ventilacioni blok $\varnothing 180$ sa bočnim otvorom $\varnothing 150$	Vlasotince
Dimenzije (mm)	245x250x250
JNF	8
Masa (kg)	9.8
Pritisna čvrstoća (daN/cm ²)	5
Komada na 1m dužini	4
Komada na paleti	32
Masa palete	324

VENTILACIONI BLOK VB-16



Ventilacioni blok $\varnothing 160$	Vlasotince
Dimenzije (mm)	250x190x190
JNF	4.6
Masa (kg)	6.1
Pritisna čvrstoća (daN/cm ²)	7.5
Komada na 1m dužini	5
Komada na paleti	160
Masa palete	986

SERTIFIKOVANO OD:



MLADOST LESKOVAC

Puškinova bb, 16000 Leskovac
Tel/Fax: +381 (0)16 243 073, 255 507
prodaja@mladost.co.rs

MLADOST VLASOTINCE

Industrijska zona bb, 16210 Vlasotince
Tel/Fax: +381 (0)16 875 432, 875 513
office.vlasotince@mladost.co.rs

MLADOST MALA PLANA

Industrijska bb, 18423 Mala Plana
Tel/Fax: +381 (0) 27 343 511, 343 999
office.tmp@mladost.co.rs

MLADOST STALAĆ

Jug Bogdanova bb, 37212 Stalać
Tel/Fax: +381 (0) 37 806 200
office.stalac@mladost.co.rs