

DECLARATION OF CONFORMITY

Nº 30-CPR-2024

(1) Clay roofing fittings for roof covering
ZAVRŠNI ELEMENT DESNI PRO 10 ENGOBED

(2) **Type: ZAVRŠNI ELEMENT DESNI PRO 10 ENGOBED**

(3) **Usage: For roof covering**

(4) **Manufacturer: IGM "MLADOST" D.O.O.**

Ul. Puskinova bb, Leskovac, Serbia, plant N2

(5) **System/systems of assessment and verification of
constancy of performance :
System 4**

(6) **Harmonized technical specification
EN 1304:2005**

(7) Declared performance

Essential characteristics	Performance
Mechanical resistance properties/flexural strength	Without testing
External fire performance	B _{roof}
Reaction on fire	A1
Water impermeability	Passes category 1, test method 2
Dimensions and dimensional tolerance	Lenght :480 mm Exception $\pm 2\%$
Durability – Frost resistance	Level 1 (150 cycles)
Releace of hazardous substances controlled by normative acts	NPD

This declaration of the technical characteristics of the issue on full responsibility producer IGM "MLADOST" DOO Leskovac, Serbia.

Leskovac 25.04.2024.
(Place and date of issue)



Ljubica Santo,
Head of Quality Control Department

Santo Ljubica
.....
(signature)